

ancisua

BA PI

Azulejaria Brasil

USA CATALOG 2019


MOROCCAN STYLE WALL & FLOOR TILES







CH2-D45-USA01



CH2-D14-USA02




CH2-D22-USA01



CH2-D54-USA02



CH2-D45-USA0



CH2-D44-USA01




CH2-D22-USA02




CH2-D46-USA01



CH2-D14-USAC



CH2-D44-USA02



CH2-D47-USA01

MOROCCAN STYLE WALL & FLOOR TILES



Border - CH2-D21-USA01 Corner - CH2-D21C-USA01



CH2-D52-USA01




CH2-D29-USA02



CH2-D10-USA01



CH2-D15-USA01



CH2-D52-USA02



CH2-D12-USA0




CH2-D10-USA02




CH2-D15-USA02



CH2-D29-USA01




CH2-D12-USA0



CH2-D36-USA02

MOROCCAN STYLE WALL & FLOOR TILES



CH2 D47 UCA02




CH2-D55-USA02



CH2-D81-USA01



CH2-D74-USA0




CH2-D75-USA02



CH2-D85-USA0




CH2-D81-USA02



CH2-D74-USA02




CH2-D85-USA02



Design 1 - CH2-D57A-USA01 Design 2 - CH2-D57B-USA01


MOROCCAN STYLE WALL & FLOOR TILES





CHEX-D01-USA02







CHEX-D05-USA02







2x2 patchwork mosaic





CHEX-D14-B02



CHEX-D14-B03



CHEX-D14-B04





CHEX-D16-B02



CHEX-D16-B03



CHEX-D16-B04



CHEX-D15-B01



CHEX-D15-B02



CHEX-D15-B03



CHEX-D15-B04



CHEX-D17-B01



CHEX-D17-B02



CHEX-D17-B03



CHEX-D17-B04

MOROCCAN STYLE WALL & FLOOR TILES



Customize your design!

Go to our online simulator and create your own color combination!

www.antiguausa.com





















PLAIN GLAZED COLORS



LIS2-BAC



CH2-L20



CH2-L21



CH2-L09



CH2-L10



CH2-L01



CH2-L23



CH2-L02



CH2-L24



CH2-L26



CH2-L06



CH2-L14



CH2-L15



CH2-L16



CHEX-BAC



CHEX-L14



CHEX-L15



CHEX-L16



CHEX-L23

NON-STOCKED PLAIN GLAZED COLORS





CH2-L22







(SPECIAL ORDER BASIS)





APPLICATION ÁREA: Internal & external floor & wall areas



 $7^{3/4}x7^{3/4}$ in PIECES/SQ.FT.: 2,4 pieces MINIMUM JOINT: 1/16 in



3^{3/4} in side SIZE: PIECES/SQ.FT.: 3,8 pieces MINIMUM JOINT: 1/8 in



PIECE SIZE: SHEET SIZE: SHEETS/SQ.FT.: FILM MOUNTED

2x2 in 12x12 in 1,0

PLAIN PROGRAM

ARTISTIC HANDMADE TILES

41/8x41/8 in



11L-143



11L-146 Sepia





11L-122 Grey

2x7^{7/8} in




MTA-140



MTA-520



MTA-124 Safari



MTA-101 Red

3x61/3 in



MTL-522 Fendi



MTL-126 Navy blue





MTL-521 Imperial mist


Beveled 3x61/3 in




MTB-186




MTB-131 Black



BZ-106 Emerald green



TO SEE ALL AVAILABLE FORMATS, COLORS AND FINISHING TRIMS, GO TO PAGE 31



CUBE



CUB-122F Grey matt 3^{1/2}in side hexagon



CUB-186F White matt

TECHNICAL DATA

APPLICATION ÁREA: Inernal wall areas MINIMUM JOINT BETWEEN PIECES: 05/32 in NOMINAL SIZE: 31/2 in side PIECES PER SQ.FT.: 4,0 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



DELTA

DEL-122







DEL-186F

DEL-124 Safari

TECHNICAL DATA

APPLICATION ÁREA:Inernal wall areas MINIMUM JOINT BETWEEN PIECES: 05/32 in NOMINAL SIZE: 31/4 x 8 in PIECES PER SQ.FT.: 9,1 pieces





RAY



RAI-122F Grey matt



RAI-186F White matt

TECHNICAL DATA

APPLICATION ÁREA:Inernal wall areas MINIMUM JOINT BETWEEN PIECES: 05/32 in

NOMINAL SIZE: 3^{1/4} x 6 in PIECES PER SQ.FT.: 10,4 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



DIAMOND



DIA-122F Grey matt



DIA-186F White matt

TECHNICAL DATA

APPLICATION ÁREA:Inernal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 7 x 3^{1/2} in PIECES PER SQ.FT.: 7,0 pieces



PYRAMID





TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 5^{7/8}in side PIECES PER SQ.FT.: 9,1 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



DUBAI



DUB-122F Grey matt



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 23/4 x 85/8 in PIECES PER SQ.FT.:8,7 pieces





PRISM





PRS-186 White

PRS-146

TECHNICAL DATA


APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 31/2 x 71/4 in PIECES PER SQ.FT.:5,2 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



URBAN



URB-124 Safari



URB-146 Senia

TECHNICAL DATA


APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: $2^{3/4} \times 8^{5/8}$ in PIECES PER SQ.FT.:5,5 pieces






SUBWAY PRIME








MTAP-156 Glacier grey

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 2x7^{7/8} in PIECES PER SQ.FT.: 8,0 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



LUMINA



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN SHEETS:05/32 in

NOMINAL SIZE: 61/4 x7 in PIECES PER SQ.FT.:6,2 pieces





DOHA



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8 x 8 in PIECES PER SQ.FT.:6,0 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



SHINGLES



Profile

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:1/8 in

NOMINAL SIZE: 2x4^{1/8} in PIECES PER SQ.FT.:15,9 pieces





DUNE



DUN-122F Grey matt



DUN-186F

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in PIECES PER SQ.FT.:7,9 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



HEXAGONAL FLOWER



FXF-186F Plain with flower White matt 3^{1/2}in side hexagon

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 3^{1/2}in side hexagon PIECES PER SQ.FT.: 4,0 pieces





FIDDLE STICKS IN RELIEF 1




TECHNICAL DATA


APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN SHEETS:05/32 in

NOMINAL SHEET SIZE: $10^{1/4} \times 12^{5/8}$ in SHEETS PER SQ.FT.:1,1 sheet

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



FIDDLE STICKS IN RELIEF 2



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN SHEETS:05/32 in

NOMINAL SHEET SIZE: 10^{1/4} x12^{5/8} in SHEETS PER SQ.FT.:1,1 sheet





DUOMO







DUO-101

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES: 05/32 in

NOMINAL SIZE: 41/8x41/8 in PIECES PER SQ.FT.:7,9 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



AMBIANCE SERIES



CIR-186F Circle White matt

White matt 4^{1/8}x4^{1/8} in



CIRM-186F Multiple circles White matt

COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in PIECES PER SQ.FT.:7,9 pieces





AMBIANCE SERIES



COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in PIECES PER SQ.FT.:7,9 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



CAPITONE




TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: $4^{1/8} \times 6^{1/8}$ in PIECES PER SQ.FT.: 11,6 pieces





MOROCCAN MOSAIC D




Combo 131, 522 & 124

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN SHEETS:05/32 in

NOMINAL SHEET SIZE: 11 x11^{7/8} in SHEETS PER SQ.FT.:1,1 sheets

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



ROUND SHINGLES




TECHNICAL DATA


APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: $3^{3/4} \times 4^{3/4}$ in PIECES PER SQ.FT.: 11,9 pieces





REGULAR PEBBLES




* To be intalled with no joint between sheets


TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN SHEETS:no joints NOMINAL SHEET SIZE: 11x11^{3/8} in SHEETS PER SQ.FT.:1,1 sheet

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



IRREGULAR PEBBLES



* To be intalled with no joint between sheets

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN SHEETS:no joints NOMINAL SHEET SIZE: 117/8 x117/8 in SHEETS PER SQ.FT.:1,0 sheet





LONDON BRICK



LBK-C Chocolate mist Matt nuance color




LBK-W White mist Matt nuance color

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:1/8 in

NOMINAL SIZE: 2x7^{7/8} in PIECES PER SQ.FT.: 8,0 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



MINI AVIGNON





M30MAV-106 Emerald green




M30MAV-521 Imperial mist

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN SHEETS: 05/32 in

NOMINAL SHEET SIZE: 91/4x103/4 in SHEETS PER SQ.FT.:1,4 sheets





BIARRITZ



BZ-106 Emerald green

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in NOMINAL SIZE: 2 in side hexagon PIECES PER SQ.FT.: 12,2 pieces

OTHER COLORS AVAILABLE ON A SPECIAL ORDER BASIS (CONSIDER TRANSIT TIME)



BEVELED SUBWAY



MTB-131



MTB-106 Emerald green



MTB-590 Buttercream



MTB-186 White




TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES: 05/32 in

NOMINAL SIZE: $3 \times 6^{1/3}$ in PIECES PER SQ.FT.: 6,9 pieces





BRUSHSTROKED VITRAUX





1

VTP02

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES: 05/32 in

NOMINAL SIZE: 41/8x41/8 in PIECES PER SQ.FT.:7,9 pieces



ATHENS





Low border

High border White matt

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 33/4x6 in PIECES PER SQ.FT.: 8,3 pieces

ANTISTIC HANDMADE TILES



ANTIQUE ASTURIAS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in



FLOWER BASKET

ASTL Patinated rustic white



11L-186

White 4^{1/8}x4^{1/8} in

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES: 05/32 in

NOMINAL SIZE: 41/8x41/8in


M-186 *Molding* 2^{1/8}x6in

TECHNICAL DATA





HERBS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in



CACHEPOT



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in

GNCISUS ARTISTIC HANDMADE TILES



FLOWER BORDER



BFLOR Flower border (set of 3 pieces) 2x4^{1/8}in



COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 2x41/8in



CITRONELLA BORDER



CTRLA Citronella Border 2^{1/2}x6in



COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 21/2x6in IMPORTANT NOTES:Pieces present superficial relief





ANTIQUE TOSCANA



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in



ALEXIA



COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA


APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: $4^{1/8} \times 4^{1/8}$ in IMPORTANT NOTES:Pieces present superficial relief





COLONIAL



COL02 (set of 4 pieces)

COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in



FAENZA



FE07

White 4^{1/8}x4^{1/8}in

COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in





COIMBRA



CMBA03 (set of 4 pieces)

COMPLEMENTARY PIECES & TRIMS



11L-186 White 4^{1/8}x4^{1/8} in

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in




IMPERIAL



IMP01 (set of 4 pieces) Cream background

COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES: 05/32 in

NOMINAL SIZE: 41/8 x 41/8 in





ANTIQUE PROVENCE



COMPLEMENTARY PIECES & TRIMS



11R-186F White matt Rustic base

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: $4^{1/8} x 4^{1/8}$ in IMPORTANT NOTES: Irregular rustic base background



BAROQUE BORDER



BAB Baroque blue border 4^{1/8}x8^{1/2} in



COMPLEMENTARY PIECES & TRIMS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x81/2 in





WILDFLOWERS & HUMMINGBIRDS




TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in


NOMINAL SIZE: 41/8 x 41/8 IN IMPORTANT NOTES:Pieces present superficial relief



CARNIVAL







CA104A



CA101 CA120

CA138

CA137 Pomegranade

COMPLEMENTARY PIECES & TRIMS




TECHNICAL DATA


APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 1x1in

GINCIBUA



NAUTICALS



TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8x41/8 in



CONGO



11L-140F

11J-171 (Nuance color)

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES:05/32 in

NOMINAL SIZE: 41/8 x41/8 in


PLAIN COLORS & ACCESSORIES

Plain - 41/8x41/8 in

7,9 PIECES / SF



11L-143









11L-140



11L-590





11L-521 Imperial mist Nuance color







11L-124



11L-143F



11L-140F

11L-120



11L-131F

Subway - $3x6^{1/3}$ in


6,9 PIECES / SF



Grey







MTL-143



MTL-131 Black




MTL-186F White matt



Dark blue

MTL-143F





Navy blue



MTL-140F Taupe matt







Black matt





Emerald green





MTL-124 Safari



Elongated Subway - 2x77/8 in

8,0 PIECES / SF



MTAL-106 Emerald green


TECHNICAL DATA



MTAL-122



MTAL-101






















MTAL-143F

Crema matt





MTAL-522

MTAL-140F Taupe matt

MTAL-131F

APPLICATION ÁREA: Internal wall areas

MINIMUM JOINT BETWEEN PIECES: 05/32 in

PLAIN COLORS & ACCESSORIES



Subway Beveled - 3x6^{1/3} in

6,9 PIECES / SF








MTB-590 Buttercream



Emerald green



Safari



Biarritz - hexagon 2 in side

12,2 PIECES / SF



White

B71-186 White



BZL-186F White matt




BZL-120 Dark blue



BZL-106 Emerald green

Bullnose - 2x41/8 in

2,9 PIECES / LF



CMB-126 Navy blue

CMB-520 Chai tea



CMB-106 Emerald green



CMB-101 Red



CMB-521 Imperial mist Nuance color White matt



CMB-186F



CMB-143F Crema matt



CMB-140F Taupe matt



CMB-131F Black matt



Profile

2,9 PIECES / LF

QR11-120

Profile

Quarter Round - 1x41/8 in



Mini Half Round - 5/8x61/8 in

2,1 PIECES / LF



TECHNICAL DATA

APPLICATION ÁREA: Internal wall areas

MINIMUM JOINT BETWEEN PIECES: 05/32 in

PLAIN COLORS & ACCESSORIES

GACTEUG HANDMADE TILES


Molding - 21/8x6 in

2,1 PIECES / LF



Box Molding - 2x81/4 in

1,5 PIECES / LF




Corner Trim for Contemporary $- \frac{3}{4}x8^{1/4}$ in

1,5 PIECES / LF



Pentagon / Hexagon / Octagon for 1 inch insert - 41/8x41/8 in

7,9 PIECES / SF



Insert - 1x1 in



TECHNICAL DATA

APPLICATION ÁREA: Internal wall areas

MINIMUM JOINT BETWEEN PIECES: 05/32 in

NON-STOCKED FORMATS & ACCESSORIES (SPECIAL ORDER BASIS)



MBL Minihrick 2x4^{1/8}in 2x2in



MTGL Large Subway 4^{1/8}x8^{1/4}in



BZGL Plain 6x6 6x6in



BZAL Large biarritz 3³/8in side Elong. biarritz 6 x 7 ³/4 i n



MQL Masquerade 4^{1/8}x6^{1/8}in



AVL Avianon 5x6in



ABL Arabesque 5^{7/8}x6in



SCL Scallop 4^{3/8}x5in



M307L Plain 3x3 3x3in



M305L Plain 2x2 2x2in



M30MARA 11^{7/8}x11^{7/8}in



M30MARB Morocco B 10x10^{1/4}in



M30MARC *Morocco C* 11^{7/8}x12^{3/8}in



M30MR Mini Masquerade 11x11^{1/2}in



M30IR *Irregulars* 10^{5/8}x11in



ML Large molding 41/8x77/8in





15CB Cove base 6x6^{1/2}in



мвохс Box mold. plug



6in length

CTC Countertop corner



BRD Braid 2x6in



Lunette border 21/2x6in



2x6in

ΚL Keyboard liner 1^{1/8}x6in







PС Pencil liner 3/4x6in



BK Molding out corner round beak

NON-STOCKED COLORS (SPECIAL ORDER BASIS)



DJ09

Light green

DJ10

Greenish blue

TECHNICAL DATA

Turkish blue

DJ08

APPLICATION ÁREA: Internal wall areas

DJ05

Sky blue

DJ06

Chinese blue Dark blue

MINIMUM JOINT BETWEEN PIECES: 05/32 in

DJ12

Black

DJ04

DJ03

DECORATIVE WALL TILES





AZ225



AZ414



Z413



XZ411



AZ204



AZ219



AZ320



Δ7222



AZ207



A 7 3 1 0



AZ307



AZ304



AZ202



A7321



AZ507



AZ415



AZ312



AZ109




AZ223



A7220




A 7 2 0 1



AZ104



AZ108



AZ103



MAZ02*

Piece size: 3x3in Sheet size: 12x12in Sheets per sq.ft: 1



MAZ04* Piece size: 3/4 x3/4 in Sheet size: 12x12in Sheets per sq.ft: 1 Film Mounted No joint between pieces

* All mosaics are made of surplus assorted pieces

TECHNICAL DATA

APPLICATION ÁREA:Internal wall areas MINIMUM JOINT BETWEEN PIECES: 3/32 in NOMINAL SIZE: 57/8x 57/8in PIECES PER SQ.FT.: 4,1 pieces

IMPORTANT NOTES



IMAGES OF THIS CATALOG

During the photography and printing of this Catalog, efforts have been made to match the true look, relief and color of the tiles as closely as possible. However, the real tiles may vary slightly from the photographs.

APPLICATION AREAS

In general, most tiles and accessories have been designed for vertical applications on internal areas. However, specific series such pool tiles, Dijon series and Terracota series are designed for external areas, which are not subject to freezing. Please refer to the application area under "Technical Data" on each product page.

COLOR SHADE VARIATION

Being hand crafted, Antigua tiles are subject to minor color shade variations from lot to lot.

It is recommend that an additional 10% of plain tiles be considered when ordering the product to avoid complementing with different lots.

In the case when additional pieces are required to existing installations, please supply the factory with a piece of the original tile so the complement can be matched as close as possible to the existing.

KILN CRAZING

Some kiln crazing before and after installation might occur in some cristalina colors but will not impair the quality of the tiles.

The crazing of tiles usually happens in the first hours after fabrication, however this process can continue during a longer period, even after installed.

NOMINAL SIZE, SIZE VARIATION & MINIMUM JOINT BETWEEN PIECES

All referred dimensions in this catalog are nominal. Real dimensions can vary slightly.

Due to the manufacturing nature of Antigua tiles, all products will present a slight variation in size .

This variation, along with other physical characteristics, requires the use of a mandatory minimum joint between pieces. This minimal joint thickness is informed under "Technical Data" on every collection presented or under the format table under "Colors and Shapes" for plain tiles or accessories.

Some products come mesh or film mounted (mosaics). In this case, the joints are already given and installation between sheets should keep the same joint thickness.

Antigua does not recommend and does not assume any responsibility of its tiles when the minimum joint is not respected.

STAINED OR PATINATED PIECES

When grouting stained material, avoid as much as possible excess grout. If it happens, allow grout material to dry completely and then remove it with a dry sponge or toothbrush. To keep stained pieces looking new, wax then periodically.

In both cases, it is not recommended to apply these pieces in wet areas subject to water or water vapor.

MAINTENANCE

Excess grout during installation of glazed tiles should be removed with a wet clean towel or sponge.

Although no standard applies to edge impact, the best advice remains to pay careful attention to detail when grouting to ensure that all edges are afforded maximum protection.

Do not acid wash glazed tiles. All foods and other substances containing acid may affect the color of a tile. Always clean spills as soon as possible.


All glazed surfaces are subject to some wearing or scratching over a period of time. Care should be taken to select the proper tile for a given use.

RELIEF & HOLLOW PIECES

In relief or hollow back pieces, a complete coverage of bonding mortar between tile and substrate is required.

LIABILITY OF INSTALLATION AND USE

Antigua USA does not assume any responsibility for faulty or inappropriate installation of its products. We do not extend any guarantees, express or implied, as to wear resistance, maintenance, glaze slipperiness or other problems which may occur by incorrect use of our tiles. In case of doubt, please consult us www.antiguausa.com









@ceramicaantigua

